Why U.S. Shingle?

Very Successful and Growing 15 Years in Business Veteran Owned 5 Star Google Reviews Licensed & Insured Nosey Neighbor Insurance Product Knowledge Not the Cheapest Vetted by 3rd Party Finance





W U.S. Shinale

Ron DeSantis, Governor

Melanie S. Griffin, Secretary

STATE OF FLORIDA DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD

THE ROOFING CONTRACTOR HEREIN IS CERTIFIED UNDER THE **PROVISIONS OF CHAPTER 489, FLORIDA STATUTES**

ROBERTS, HUNTER EDWARD IV

U.S. SHINGLE, LLC 780 14TH AVE NW FL 34120 NAPLES

LICENSE NUMBER: CCC1331960

EXPIRATION DATE: AUGUST 31, 2026

Always verify licenses online at MyFloridaLicense.com

ISSUED: 08/09/2024

Do not alter this document in any form.



This is your license. It is unlawful for anyone other than the licensee to use this document.







Why U.S. Shing

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 10/16/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER		CONTACT Thomas Ponsot		
Linked Insurance Group LLC		PHONE (A/C, No, Ext): 773-216-7267	FAX (A/C, No):	
3355 N Clark St		E-MAIL ADDRESS: Thomas@linkedinsurance.co		
		INSURER(S) AFFORDING	COVERAGE	NAIC #
Chicago	IL 60657	INSURER A: Concert Specialty Insurance	Compnay	
INSURED		INSURER B :		
US Shingle, LLC		INSURER C :		
780 14th Ave NW		INSURER D :		
		INSURER E :		
Naples	FL 34120	INSURER F :		

 COVERAGES
 CERTIFICATE NUMBER:
 REVISION NUMBER:

 THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.


ISR TR		TYPE OF INSURANCE	INSD	WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	(MM/DD/YYYY)	LIMIT	S
-	X							EACH OCCURRENCE DAMAGE TO RENTED	\$ 1,000,000
ł		CLAIMS-MADE X OCCUR						PREMISES (Ea occurrence) MED EXP (Any one person)	\$ 100,000 \$ 5,000
A					CS TMGL00020 30-00	09/14/2024	09/14/2025	PERSONAL & ADV INJURY	\$ 1,000,000
	GEN	I'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	\$ 2,000,000
	X	POLICY PRO- JECT LOC						PRODUCTS - COMP/OP AGG	\$ 2,000,000
		OTHER:							\$
	AUT	OMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident)	\$
		ANY AUTO						BODILY INJURY (Per person)	\$
ſ		OWNED SCHEDULED AUTOS						BODILY INJURY (Per accident)	\$
[HIRED NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	\$
									\$
		UMBRELLA LIAB OCCUR						EACH OCCURRENCE	\$
		EXCESS LIAB CLAIMS-MADE						AGGREGATE	\$
		DED RETENTION \$							\$
		EXERS COMPENSATION EMPLOYERS' LIABILITY Y / N						PER OTH- STATUTE ER	
		PROPRIETOR/PARTNER/EXECUTIVE	N/A					E.L. EACH ACCIDENT	\$
	(Man	datory in NH)						E.L. DISEASE - EA EMPLOYEE	\$
	IT yes	s, describe under CRIPTION OF OPERATIONS below						E.L. DISEASE - POLICY LIMIT	\$
DESC	RIPT	ION OF OPERATIONS / LOCATIONS / VEHICL	LES (A	CORD	0 101, Additional Remarks Schedule, may b	e attached if more	e space is require	ed)	

CERTIFICATE HOLDER		CANCELLATION
City of Plant City Building Departmen 302 W Reynolds Street	t	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
Plant City	FL 33563	AUTHORIZED REPRESENTATIVE
		Thomas Ponsot
		© 1988-2015 ACORD CORPORATION. All rights reserved.

ACORD

The ACORD name and logo are registered marks of ACORD







Need Solar? No Need Water Softener? No Need New Windows? No MUST REPLACE YOUR ROOF





Deep Discounts Today but Call Us Back Anytime

* Skydiving * Keep Crews Busy * Manufacture Discounts Passed to You






Why Replace Your Roof With Us Today? * Insurance Savings - Hundreds and Maybe Thousands * Energy Savings - Up to 40% or More

* Material Costs Go Up Every Year







Why Replace Your Roof With Us Today? Low Bid Price Match Guarantee Nobody else offers this..... why??





What Can We Offer? * Asphalt Shingle * Metal Panel Systems * Flat Roofing - TPO

* Tile - Both Clay and Concrete
* Decorative Metal Products
* Commercial Roofing





What Else Can We Offer?


- * Solar Attic Fans
- * 6" Seamless Gutters
- * Aluminum Fascia and Soffit * IRBADS

* Hurricane Straps * Skylights * IRBADS

Why U.S. Shingle? Our Installation Process

* Pull Permits * Start by Taking Pictures of Everything * Assign a Jobsite Foreman to your Home * Deliver Materials and Dump Trailer * Strip Roof to the Decking * Re-Nail per Florida Code Peel-N-Stick as Secondary Water Barrier Replace Rotted Decking or Fascia * Apply New Roof System
* All New Boots and Ventilation * Clean Up and Debris Removal Magnetic Yard Sweep for Nails Review the Job with You for Your Approval








Timberline HDZ[®] Shingles

Benefits:

- LayerLock" Technology mechanically fuses the common bond between overlapping shingle layers
- Up to 99.9% nailing accuracy the StrikeZone" nailing area is so easy to hit that a roofer placed 999 out of 1,000 nails correctly in our test¹
- WindProven[~] Limited Wind Warranty - when installed with the required combination of GAF Accessories, Timberline HDZ® Shingles are eligible for a wind warranty with no maximum wind speed limitation³
- Dura Grip[™] sealant pairs with the microgranule surface of the Strike-Zone" nailing area. Then, an asphalt to-asphalt monolithic bond cures for durability, strength, and exceptional wind uplift performance.
- 25-year StainGuard Plus[®] Algae Protection Limited Warranty against blue-green algae discoloration.3 Proprietary GAF Time-Release Algae-Fighting Technology helps protect your shingles from unsightly stains.
- For the best look use TimberTex[®] Premium Ridge Cap Shingles or TimberCrest® Premium \$B\$-Modified Ridge Cap Shingles



Harvest Blend Colors'





Product details:

- Product/System Specifics
- Fiberglass asphalt construction Dimensions (approx.): 13 %' × 39 %" (337 x 1,000 mm)
- Exposure: 5 % (143 mm)
- Bundles/Square: 3
- Pieces/Square: 64
- StainGuard Plus" Algae Protection¹ Limited Warranty
- Hip/Ridge: TimberTex⁹; TimberCrest⁹; Seal-A-Ridge[®]; Z^oRidge: Ridglass^{o 5}
- Starter: Pro-Start[®]; QuickStart[®]; WeatherBlocker"

Applicable Standards & Protocols:

- UL Listed to ANSI/UL 790 Class A
- State of Florida approved
- Classified by UL in accordance with ICC-ES AC438
- Meets ASTM D7158, Class H
- Meets ASTM D3161, Class F
- Meets ASTM D3018, Type 1
- Meets ASTM D3462⁴
- Miami-Dade County Product Control approved
- ICC-ES Evaluation Reports ESR-1475 and ESR-3267
- Meets Texas Department of Insurance Requirements
- Rated by the CRRC: Can be used to comply with Title 24 Cool Roof requirements (some colors)
- Lifetime refers to the length of womonly coverage provided and means as long as the original individual owner(i) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualitying GAP preducts are installed. For other owners/structures, Utefime adverage is not opplicable. Lifetime coverage on shingles requires the use of GAF Lifetime Shingles unly. See the GAF Shingle & Accessory Cimited Warranty for complete coverage and restrictions. Visit pot.com/URS for qualitying BRF products. Lifetime-coverage on shingles and occessories requires the use of any GAI Litetime Shingle and of least 3 qualifying GAI Accessories. See the GAF Roading System Limited' Womonly for complete coverage and realiticitiens. For installations not eligible for the GAV Acoting System Limited Warnardy. see the GVF Shingle & Accessory Limited Workerly. Visit got.com/LRS for qualitying GAF products.
- Results based an study canducted by Home Innovation Research Labs, an independent research lab. somparing installation of Timberline KD* Shingles to Timberline HD2* Shingles on a 16-aquate toof deck using standard 4-roll
- scaling patiens under controlled loboratory conditions. Actual results may easy. 25-year Stein Guord Plus" Algoe Protection Limited Worranty against bluegreen algos discolaration is available only on products sold in packages bearing the SteinGuard PLs" legs. See GVF Shingle & Accessory United Warranty for complete severage and restrictions and gualitying products.
- 15-sear WindProver" limited wind warranty on SIF Shingles with LoverLad." Technology requires the use of GAF Starter Brips. Roof Deck Protection, Ridge Cop Shingles, and Leok Barrier or Ritic Ventilation. See GM Rooling Spalem Limited Worronly for complete coverage and restrictions. Visit get.com/LRS for qualitying GW products. For installations not eligible for the GAF Routing System Limited Womenly, saw the GAF Shingle & Accessory Limited Waracly.
- Periodically tested by independent and internal labs to ensure compliance with ASTM D8462 of time at monufacture.
- * Harvest Blend actors are only available an TimberFer* Bidge Cap Shingles. Seal & Bidge* Ridge Cop Shingles, and TimberCrest* Premium S85-Modified Bidge Cap Shingles.

Note: It is difficult to reproduce the color starity and astual asiar blends. of these products. Before selecting your color, please sale to see several ful-size shingles.




Colors:



Timberline HDZ® Shingles

Benefits:

- LayerLock" Technology mechanically fuses the common bond between overlapping shingle layers
- Up to 99.9% nailing accuracy the StrikeZone" nailing area is so easy to hit that a roofer placed 999 out of 1,000 nails correctly in our test¹
- WindProven[™] Limited Wind Warranty - when installed with the required combination of GAF Accessories, Timberline HDZ® Shingles are eligible for a wind warranty with no maximum wind speed limitation³
- Dura Grip" sealant pairs with the microgranule surface of the Strike-Zone" nailing area. Then, an asphalt to-asphalt monolithic bond cures for durability, strength, and exceptional wind uplift performance.
- 25-year StainGuard Plus[®] Algae Protection Limited Warranty against blue-green algae discoloration.² Proprietary GAF Time-Release Algae-Fighting Technology helps protect your shingles from unsightly stains.
- For the best look use TimberTex[®] Premium Ridge Cap Shingles or TimberCrest® Premium \$B\$-Modified Ridge Cap Shingles



Harvest Blend Colors'

|--|--|

Product details:

- Product/System Specifics
- Fiberglass asphalt construction Dimensions (approx.): 13 %' × 39 %".
- (337 x 1,000 mm) Exposure: 5 % (143 mm)
- Bundles/Square: 3
- Pieces/Square: 64
- StainGuard Plus" Algae Protection Umited Wananty
- Hip/Ridge: TimberTex⁹; TimberCrest⁹; Seal-A-Ridge*; Z*Ridge: Ridglass*5
- Starter: Pro-Start*; QuickStart*; WeatherBlocker"
- Applicable Standards & Protocols:
- UL Listed to ANSI/UL 790 Class A
- State of Florida approved Classified by UL in accordance with ICC-ES AC438
- Meets ASTM D7158, Class H
- Meets ASTM D3161, Class F
- Meets ASTM D3018, Type 1
- Meets ASTM D3462⁴
- Miami-Dade County Product Control approved
- ICC-ES Evaluation Reports ESR-1475 and ESR-3267
- Meets Texos Deportment of Insurance Requirements
- Rated by the CRRC: Can be used. to comply with Title 24 Cool Roof requirements (some colors)

Lifetime refers to the length of womonly coverage provided and means as long as the original individual owner(i) of a single-family detached residence [or sligible second owner(s]] owns the property where the qualifying GAP products are installed. For other owners/structures, Untime soverage is not opplicable. Lifetime coverage on shingles requires the use of GAF Lifetime Shingles only. See the GAF Shingle & Accessory Cimited Warranty for complete coverage and restrictions. Visit pot.com/URS for qualifying BRF products. Lifetime coverage on shingles and occessories requires the use of any GAV Litetime Shingle and of least 3 qualitying GAV Accessories. See the GAV Rowing Spalere Limited Wareonly/or complete coverage and restrictions. For installations not eligible for the GAV Acoting System Cimited Memority. see the GVF Shingle & Accessory Limited Workerty, Visit got.com/LRS for qualitying GAF products.

Results based an study candicated by Home Isnavation Research Labs, an independent research lob. comparing installation of Timberline HD* Shingles to Timberline HD2^{et} Shingles on a 16-aquate tool deck using standard 4-noil scaling patiens under controlled loboratory conditions. Actual results may resy. 25-year StainGuard Plus" Algae Protection Limited Warranty against bluegreen cigos discolarchice is available only on products sold in pockages

- bearing the SteinGuard Plus" lags. See GNF Shingle & Accessory United Warranty for complete coverage and restrictions and qualitying products. 15-year WindProven" limited wind warranty on BRF Shingles with LayerLed." Testhnology requires the use of GAF Branter Brips. Root Deck Protection, Ridge Cop Shingles, and Look Barrier or Ritic Ventilation. See GM Rooling Spalem Limited Warranty for complete coverage and restrictions. Visit
- get.com/LRS for qualifying GW products. For installations not aligible for the GAF Routing System Limited Womenly, see the GAF Shingle & Accessory Linited Warachy. ⁴ Periodically tested by independent and internal labs to ensure compliance.
- with #STM D3462 of time at monutophine.
- * Korvest Blend actors are only available an TimberFar* Ridge Cap Shingles. Seal & Bidge* Ridge Cop Shingles, and TimberCrest* Premium S85-Modified Bidge Cap Shingles.
- Note: It is difficult to reproduce the color starity and estual calor blends. of these products. Before selecting your color, please sak to see several ful-size shingles.











WHY TRI COUNTY METALS?

We offer the very best product, at the best prices, with timely service with pick-up or delivery. Let us help you with your project.

LET'S PUT AN ESTIMATE TOGETHER

877-766-3309

 Color Choices ✓ Trims Product Approvals Accessories CAD Services ✓ Solid Warranty Need Financing? We can help!

勗

(26 GA only) BOOST homeowner's™ EDGE financing program Ⅱ

PBR

Ultra Rib

(26 & 29 GA)

ORE DEFENDER

ADD Lifetime Screws!

Give your project the best **Energy Savings!**

fasteners on the market!

Save up to 40% on cooling costs.* Ask about adding Radiant Barrier to your order.

*Note: According to the Metal Roofing Alliance.

Top Reasons Contractors keep ordering from us:

- Awesome Communication
- Ease of placing orders
- Fast production time and delivery
- ZERÓ downtime pledge

EXPOSED FASTENER PANELS 26 & 29 GA





ABOUT THIS PAINT SYSTEM

(877-766-3309

Light Stone

SR: .56 E: .86

Patina Green

SR: 28 E: .86

Clay SR: .42 E: .87

Patriot Red

SR: 31 E: 86

Black

SR: 31 E: 84

Tri County Metals roll forms metal roofing from our Core Defender paint system. Our Core Defender paint system offers superior color stability, chalk resistance, fade resistance, and gloss retention.

Weathering performance of our Core Defender paint system is proven through extensive South Florida testing to be superior to standard silicone modified polyester finishes used throughout the metal construction industry.

TriCountyMetals.com



40-Year Paint Warranty

Learn more about our warranties on our warranty site: warranty.tricountymetals.com

Polar White SR: .64 E: .86

Galvalume

SR: .67 E: .14

Ivory SR: .66 E: .86



SR: .35 E: .86

Charcoal SR: 29 E: 86



Barn Red SR: .36 E: .86



Bronze SR: .34 E: .86

Mocha Tan Forest Green SR: .47 E: .86 SR: 28 E: 86 Ash Gray Dark Gray SR: .37 E: .86 SR: 46 E: 86 Hawaiian Blue Gallery Blue SR: .25 E: .87 SR: .31 E: .86 Burgundy Cocoa Brown SR: .35 E: .86 SR: 29 E: .86



Metallic Copper SR: .48 E: .85

- Actual color may vary from samples shown
- Actual color chips available upon request
- SR = Solar Reflectance, UV cool roof rating .
- E = Emissivity, effectiveness in emitting energy as themal radiation .

SHERWIN-WILLIAMS. Coil Coatings



26 GA Standing Seam Panels

🖀 877-766-3309 🔤 info@tricountymetals.com 🔲 TriCountyMetals.com





Offering these colors for our TCM-LOK 26 GA

Why TCM?


We offer the very best product, at the best prices, with timely service with pick-up or delivery. Let us help you with your project.

- Color Choices Product Approvals CAD Services
- ✓ Trims
- ✓ Accessories
- ✓ Solid Warranty

Need Financing? We can help!








Our Experience

In working with Tri County Metals, both our Customer Service Representatives and Outside Sales Representatives have the experience to help you put together a comprehensive metal roofing package.

Selecting your new metal roof IS AS EASY AS 1-2-3!















Our Product and Company Warranty * All Manufacture Warranties Registered for You * FREE 10 Year No Leak Workmanship Warranty * Transferrable One Time to the New Home Owner


J.S. Shincle?







Why U.S. Shingle? Energy Saver Package








Why U.S. Shingle? Energy Saver Package

97% Effective!

Without Radiant Barrier







Why U.S. Shingle? Energy Saver Package

26" Radiant Barrier Foil For Truss Built Attics







Why U.S. Shingle? Energy Saver Package **How Much Money Will You** Save?

Energy Savings with Radiant Barrier Foil

Consumers are less concerned about how energy barriers work than they are about their effect on utility bills. This is much less than the 95% reduction in attic radiant heat flow because other forms of heat flow contribute to the total cooling (or heating) load. Data can expect to vary with region. The following data provided by The Tennessee Valley Authority, Chattanooga, Tennessee on Performance Testing of *Radiant Barriers* demonstrates the savings possible for a typical home:

- All the Radiant Barrier configurations yielded sizable percent savings and statistically significant reductions in summer attic heat transfer compared to the non-RB case. Also, as the ambient temperature increases, the savings also increase.
- The Radiant Barrier under the rafters (RBR) was the best summer performer. It consistently showed heat flux reductions compared to the non-RB case of nearly 40% for almost all ambient temperatures and even showed savings during mild temperature and night summer conditions.



